

RAPICIDE™

High-level Disinfectant Family | **Reprocess**





THE COMPLETE CIRCLE OF PROTECTION

As the global vanguard in infection prevention, only Cantel Medical delivers the Complete Circle of Protection, a full-value, proactive partnership dedicated to helping you remove risk, streamline operational efficiencies and optimize your success.

RAPICIDE™ Disinfectant Family is THE Choice for High-level Disinfection.

RAPICIDE™ PA High-Level Disinfectant

RAPICIDE PA High-level Disinfectant is a single-use, peracetic acid-based solution that is environmentally responsible.

Designed for use in the ADVANTAGE PLUS™ Automated Endoscope Reprocessor (AER) or DSD EDGE™ AER.

- 5-minute contact time
- Used at 30°C
- Proven endoscope compatibility; low HLD temperature specifically designed for endoscope materials
- Single-use chemistry; aldehyde-free
- Requires only 1 rinse, reducing the total cycle time
- Environmentally responsible – breaks down into water and vinegar
- Minimum recommended concentration (MRC) is 850ppm of PAA

RAPICIDE™ PA Test Strips

RAPICIDE PA Test Strips are used to measure the minimum recommended concentration (MRC) of RAPICIDE PA High-level Disinfectant.

- Quick reference color chart confirms concentration
- 1 second dip time; 30 second read time




*Technical data available upon request

REPROCESS

High-level disinfection is the cornerstone of infection prevention. Reprocessing technologies from Cantel are designed to ensure patient safety by adhering to the strictest of standards for high level disinfection, optimize workflow efficiency, and deliver versatility by supporting a wide range of scopes.

RAPICIDE™

High-level Disinfectant Family | **Reprocess**



RAPICIDE™ Glut High-level Disinfectant

RAPICIDE Glut High-Level Disinfectant is a fast-acting, non-staining solution that requires no mixing or activation. Reusable glutaraldehyde-based disinfectant is designed for use on flexible endoscopes in automated endoscope reprocessors.

- Fast, 5-minute contact time and used at 35°C
- Effectively kills TB, hepatitis viruses and C. diff*
- Improved efficiency; requires only 2 rinses
- Ready-to-use and up to 28-day reuse life

RAPICIDE™ Glut Test Strips

RAPICIDE Glut Test Strips are used to measure the minimum recommended concentration (MRC) of RAPICIDE High-level Disinfectant and Sterilant.

- 3 second dip time
- 75 second read time



RAPICIDE™ OPA-28 High-level Disinfectant

RAPICIDE OPA-28 High-level Disinfectant works faster and lasts longer for superior reprocessing of heat-sensitive, semi-critical medical devices. RAPICIDE OPA-28 High-level Disinfectant features twice the reuse period of other OPA brands and guaranteed materials compatibility for the ultimate combination of safety, convenience and value.

- 5-minute contact time at 20°C
- For manual or automated AER use
- Up to 28-day reuse life
- Effective on TB, MRSA, VRE*, HIV² and Hepatitis
- Only 2 rinses in a MEDIVATORS™ AER; 3 rinses if used manually

RAPICIDE™ OPA-28 Test Strips

RAPICIDE OPA-28 Test Strips are used to measure the minimum recommended concentration (MRC) of RAPICIDE OPA-28 High-level Disinfectant.

- 3 second dip time
- 90 second read time



RAPICIDE™ Spill Kits

The RAPICIDE Spill Kits are available for use with the MEDIVATORS family of RAPICIDE™ Disinfectant products. The spill kits allow customers a quick and easy way to neutralize spills at their facility. The kit includes the appropriate neutralizer and the Personal Protective Equipment (PPE) necessary to safely clean up a spill or leak.



The RAPICIDE Spill Kit is used for RAPICIDE™ Glut High-Level Disinfectant and RAPICIDE™ OPA-28 High-level Disinfectant. It includes:

- NEUTRA-HYDE™ Glycine Neutralizer
- NEUTRA-HYDE SDS
- RAPICIDE™ glut SDS
- RAPICIDE™ OPA-28 SDS
- Bouffant cap
- Nitrile gloves
- Impervious gown
- Shoe covers
- Safety goggles with face shield
- Large absorbent mats



The RAPICIDE PA Spill Kit is used to clean up RAPICIDE™ PA High-level Disinfectant. It includes:

- NEUTRA-Ox sodium bicarbonate neutralizer
- NEUTRA-Ox SDS
- RAPICIDE™ PA SDS
- Bouffant cap
- Nitrile gloves
- Impervious gown
- Shoe covers
- Safety goggles with face shield
- Mixing knife

Ordering Information

RAPICIDE Disinfectant and Sterilant

Part Number	Description
ML02-0059 (USA)	RAPICIDE Glut High-level Disinfectant (4 one-gallon bottles/case)
ML02-0108 (Canada)	RAPICIDE Glut High-level Disinfectant (4 one-gallon bottles/case)
ML02-0120	RAPICIDE Glut Test Strips (2 bottles/pack, 60 strips/ bottle)

RAPICIDE OPA-28 High-level Disinfectant

Part Number	Description
ML02-0128	RAPICIDE OPA-28 High-level Disinfectant (4 one-gallon bottles/case)
ML02-0137	RAPICIDE OPA-28 Test Strips (2 bottles/pack, 50 strips/ bottle)

RAPICIDE PA High-level Disinfectant

Part Number	Description
ML02-0117 (USA)	RAPICIDE PA High-level Disinfectant (2 each 5 liter bottles Part A and Part B/case)
ML02-0116 (Canada)	RAPICIDE PA High-level Disinfectant (2 each 5 liter bottles Part A and Part B/case)
ML02-0118	RAPICIDE PA Test Strips (2 bottles/pack, 100 strips/ bottle)

High-level Disinfectant Spill Kits

Part Number	Description
78400-973	For RAPICIDE Glut Spill Kit and RAPICIDE OPA-28 Spill Kit
78400-974	For RAPICIDE PA Spill Kit
DNS-1002	NEUTRA-HYDE Neutralizer
DNS-1006	NEUTRA-Ox Neutralizer

MEDIVATORS™ RAPICIDE™, ADVANTAGE PLUS™, DSD EDGE™ and NEUTRA-HYDE™ are trademarks of Medivators Inc.



Cantel Medical (Canada)
 90 Gough Road, Unit 1
 Markham, ON L3R 5V5
 Phone: +1.844.348.5636
 Fax: +1.844.348.5637
 Email: info@cantelmedical.ca

www.cantelcanada.com

© 2017 Medivators Inc. P/N 50098-077C-ENCAN