

DSD-201

Endoscope Reprocessing System | **Reprocess**





THE COMPLETE CIRCLE OF PROTECTION

As the global vanguard in infection prevention, only Cantel Medical delivers the Complete Circle of Protection, a full-value, proactive partnership dedicated to helping you remove risk, streamline operational efficiencies and optimize your success.

Fast and Flexible Automated Endoscope Reprocessing

Efficient Design for Quick Endoscope Turnaround

- Reprocessing cycle time as short as 28 minutes
- Run simultaneous or independent cycles
- Leak test minimizes endoscope repair costs
- Automated alcohol flush and air drying of endoscope channels
- Reprocesses all brands and types of flexible endoscopes

Assures Patient Safety and Reduces Infection Risk

- Cycle parameters continuously monitored
- Alarm alerts operator of reprocessing deficiency
- Self disinfects internal fluid lines during every cycle
- Three stage water filtration system

Unparalleled Operator Safety

- Floating lids contain disinfectant vapors
- No mixing of disinfectant solution
- Virtually no contact between staff and chemicals
- Optional vapor management system

Reprocess a Variety of Endoscopes

- Compatible with most flexible endoscopes.
- Validated for reprocessing TEE probes, dilators, cystoscopes and semi-critical endoscopes

Choice of High-level Disinfectants

Proven Endoscope Compatibility with:

RAPICIDE™ Disinfectant

- Fast 5-minute contact time @35°C
- Proven endoscope compatibility
- Up to 28-day use life

RAPICIDE™ OPA-28 Disinfectant

- Fast 5-minute contact time @20°C
- Proven endoscope compatibility
- Up to 28-day use life






REPROCESS

High-level disinfection is the cornerstone of infection prevention. Reprocessing technologies from Cantel are designed to ensure patient safety by adhering to the strictest of standards for high level disinfection, optimize workflow efficiency, and deliver versatility by supporting a wide range of scopes.

DSD-201

Endoscope Reprocessing System | **Reprocess**

Simple touch pad operation with LED display



Printed cycle documentation

Dual basins with two independent, asynchronous reprocessing basins



Large basins accommodate all endoscope sizes



Optional Bridge Kit for reprocessing ultrasound endoscopes and TEE Probes/Transducers



Dimensions

46 H x 36 W x 21 D (inches)
 117 H x 91 W x 53 D (cm)
 Height with lid open: 64 inches (162.5 cm)

Weight

400 lbs (182 kg)

Electrical Requirements

120VAC, 50/60Hz, 12 amp (North America)
 230/240VAC, 50/60Hz, 6 amp (International)

Electrical Safety Certifications

ETL Intertek Listed #75811
 UL Standard 61010
 CSA/CSA Standard C22.2, No. 601.1

Reservoir Capacities

Disinfectant: 4 gallons (15.1 liters)
 Alcohol and detergent: 27oz each (800 ml)

Disinfectant Temperature Range

Room temp to 125°F (52°C)

DSD-201 LT Ordering Information

Model Number	Description
DSD-201LT	DSD Endoscope Reprocessor with Leak Tester

DSD-201 LT Disinfectant Ordering Information

Part Number	Description
ML02-0108	RAPICIDE™ High-level Disinfectant and Sterilant
ML02-0120	RAPICIDE™ Potency Indicator Test Strips
ML02-0128	RAPICIDE™ OPA-28 High-level Disinfectant
ML02-0136	RAPICIDE™ OPA-28 Potency Indicator Test Strips


DSD-201 LT Accessory Ordering Information

MD01-1001	DSD Mobile Dolly
ML02-0133	INTERCEPT™ Detergent
MK01-0053	Bridge Support Kit

Vapor Management Options

MK01-0055	(120V) Active Vapor Management System
MK01-0056	(220V) Active Vapor Management System
DSD-1070R	Passive Vapor Management System

INTERCEPT™ and RAPICIDE™ are trademarks of Medivators Inc.



Cantel Medical (Canada)
 90 Gough Road, Unit 1
 Markham, ON L3R 5V5
 Phone: +1.844.348.5636
 Fax: +1.844.348.5637
 Email: info@cantelmedical.ca

www.cantelcanada.com

© 2017 Medivators Inc. P/N 50098-077C-ENCAN